

DERWENT-ACC-NO: 2000-482439

DERWENT-WEEK: 200234

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Mobile cell load controlling method
in mobile radio network, involves deciding load
status of radio cell based on the load information
transmitted to unserving cell controller

INVENTOR: LONGONI, F

PATENT-ASSIGNEE: NOKIA NETWORKS OY[OYNO] , LONGONI
F[LONGI]

PRIORITY-DATA: 1998WO-EP07932 (December 7, 1998)

PATENT-FAMILY:

PUB-NO	PAGES	PUB-DATE	MAIN-IPC
WO 200035226 A1		June 15, 2000	E
028	H04Q	007/38	
US 20020052206 A1		May 2, 2002	N/A
000	H04Q	007/20	
AU 9917591 A		June 26, 2000	N/A
000	H04Q	007/38	
EP 1135946 A1		September 26, 2001	E
000	H04Q	007/38	

DESIGNATED-STATES: AL AM AT AU AZ BA BB BG BR BY CA CH CN
CU CZ DE DK EE ES FI
GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
LS LT LU LV MD MG
MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT
UA UG US UZ VN YU
ZW AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU
MC MW NL OA PT SD
SE SZ UG ZW BE CH DE ES FR GB IT LI NL SE

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
--------	-----------------	---------

APPL-DATE		
WO 200035226A1	N/A	
1998WO-EP07932	December 7, 1998	
US20020052206A1	Cont of	
1998WO-EP07932	December 7, 1998	
US20020052206A1	N/A	
2001US-0876562	June 7, 2001	
AU 9917591A	N/A	
1998WO-EP07932	December 7, 1998	
AU 9917591A	N/A	
1999AU-0017591	December 7, 1998	
AU 9917591A	Based on	WO 200035226
	N/A	
EP 1135946A1	N/A	
1998EP-0962419	December 7, 1998	
EP 1135946A1	N/A	
1998WO-EP07932	December 7, 1998	
EP 1135946A1	Based on	WO 200035226
	N/A	

INT-CL (IPC): H04Q007/20, H04Q007/22 , H04Q007/38

ABSTRACTED-PUB-NO: US20020052206A

BASIC-ABSTRACT:

NOVELTY - Load information of a radio cell (13) is transmitted from a radio network controller (3-1) serving radio cell to controller (3-2) not serving the radio cell. Based on the load information in the unserving cell controller, load status of the radio cell is decided.

DETAILED DESCRIPTION - Admission of the radio cell for handover of a mobile terminal (1) controlled by the unserving controller, is decided using the load status of the radio cell.

USE - For mobile radio network of WCDMA system such as UTMS.

ADVANTAGE - Loss of branch is prevented due to use of congested radio cell by using more efficient radio resource algorithms, thereby improving system

capacity. Balanced load among radio cells is maintained,
thus high
interference is avoided.

DESCRIPTION OF DRAWING(S) - The figure shows the schematic
diagram of mobile
radio network implementing the mobile cell load control.

Mobile terminal 1

Radio network controller 3-1

Controller 3-2

Radio cell 13

ABSTRACTED-PUB-NO: WO 200035226A

EQUIVALENT-ABSTRACTS:

NOVELTY - Load information of a radio cell (13) is
transmitted from a radio
network controller (3-1) serving radio cell to controller
(3-2) not serving the
radio cell. Based on the load information in the unserving
cell controller,
load status of the radio cell is decided.

DETAILED DESCRIPTION - Admission of the radio cell for
handover of a mobile
terminal (1) controlled by the unserving controller, is
decided using the load
status of the radio cell.

USE - For mobile radio network of WCDMA system such as
UTMS.

ADVANTAGE - Loss of branch is prevented due to use of
congested radio cell by
using more efficient radio resource algorithms, thereby
improving system
capacity. Balanced load among radio cells is maintained,
thus high
interference is avoided.

DESCRIPTION OF DRAWING(S) - The figure shows the schematic
diagram of mobile
radio network implementing the mobile cell load control.

Mobile terminal 1

Radio network controller 3-1

Controller 3-2

Radio cell 13

CHOSEN-DRAWING: Dwg.2/3

TITLE-TERMS: MOBILE CELL LOAD CONTROL METHOD MOBILE RADIO
NETWORK DECIDE LOAD
STATUS RADIO CELL BASED LOAD INFORMATION
TRANSMIT CELL CONTROL

DERWENT-CLASS: W01 W02

EPI-CODES: W01-A05A; W01-A06B7; W01-B05A1A; W01-C02A1A;
W01-C02B6; W02-C03C1A;

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N2000-358703